
























NB. Safety components marked with  must be replaced with original or approved components only.
All printed boards and the back cover are also safety components

447S NOKIA


	CERAMIC	POLYPROPYLENE	POLYESTHER POLYCARBONATE
	 ≤ 63 V	 ≤ 63 V	 ≤ 63 V
	 1/4 W	 ≤ 160 V	 ≤ 160 V
	 1/2 W	 ≤ 250 V	 ≤ 250 V
	 1 W	 ≤ 500 V	 ≤ 400 V
	 2 W	 ≤ 1,5 kV	 ≤ 1,5 kV




	CERAMIC	POLYPROPYLENE	POLYESTHER POLYCARBONATE

ECN
447S55

447S NOKIA
SMA181.SMA185.SMA199
SMA200.SMA207.SMA216
56007N SHEET 3 OF 6






	CERAMIC	POLYPROPYLENE	POLYESTHER POLYCARBONATE

ECN
447S19
ECN
447S55

447S NOKIA
SMA181 .SMA185 .SMA199
SMA200 .SMA207 .SMA216
56007N SHEET 5 OF 6

PROCESSOR



	CERAMIC		POLYPROPYLENE		POLYESTHER POLYCARBONATE
	<= 63 V		<= 63 V		<= 63 V
	<= 160 V		<= 160 V		<= 160 V
	<= 250 V		<= 250 V		<= 250 V
	<= 500 V		<= 500 V		<= 400 V
	<= 1,5 kV		<= 1,5 kV		<= 1,5 kV

ECN
447S55

447S NOKIA

SMA181 .SMA185 .SMA199
SMA200 .SMA207 .SMA216
56007N SHEET 6 OF 6

USB

